
# Today's Weather



## **NEW PRODUCT ANNOUNCEMENT**

# CYRAQ<sup>®</sup> 1000 46" Sunlight-Readable Outdoor Digital Display

- All-Weather Outdoor Digital Signage
- Advanced Solar Radiation Protection
- Designed to Withstand Rain, Snow and Sun
- Clear Sharp Images Even in Direct Sunlight
- Full High-Definition 1080p Resolution
- Easy-To-Service Modular Design
- Vandal-Resistant Construction
- \* Rugged 304 Stainless Steel Enclosure
- \* Pylon, Wall, Ceiling or Custom Mounting
- \* AR-Bonding™ Condensation-Free Glass
- \* All-Weather Touchscreen Optional
- \* Thermal Management System
- Energy-Efficient Green Design



**Your Sourge for Rugged Digital Displays** 



Booth 1422 and 2022

Digital Signage Expo

February 23 – 24, 2011

Las Vegas Convention Center

# 46" Sunlight-Readable Outdoor LCD Displays

# CYRAQ 1046SE

## It's the Outdoor Signage Solution You've Been Waiting For!

## High-Definition Outdoor Display

## **Outstanding Image Quality**

The new CyRAQ 46 inch display achieves extremely clear, sharp, high contrast sunlight readable images at full High Definition 1080p resolution even when viewed in direct sunlight. CyberResearch's unique AR-Bonding<sup>th</sup> display enhancement technology reduces excessive light reflections and provides sunlight readability equal to better than a conventional air-gap display with a 1500 to 2000nit backlight. In addition, AR-Bonding passive display enhancement reduces power consumption by 30 to 40%.



#### **Solar Radiation Protection**

A rule of thumb for an LCD display in direct sunlight is that approximately 1/3 of the total heat load on the display is generated by the backlight and 2/3 by solar radiation. When electric power to the cooling system is turned off for any reason, up to 2/3 of the heat load still remains. Excess heat over a prolonged period of time without effective thermal management can severely reduce LCD life expectancy.

## **Thermal Management System**

CyRAQ's advanced thermal management system protects the LCD from hot, cold and wet environments, while limiting excess heating due to solar radiation.



#### **Open System**

CyRAQ 1000 digital displays work under any standard Windows® or Mac® operating system. They accept HDMI, DVI, and other popular inputs and are compatible with software from hundreds of different software suppliers. Visit cyraq.com for details.



# Mastering the Physics of Light

#### You'll Know It When You See It

The difference is crystal clear, even in direct sunlight. CyberResearch has mastered the physics of light by commercializing multiple display enhancement technologies originally developed for avionics and the military to provide a revolutionary new family of cost-effective sunlight-readable displays suitable for use outdoors in digital signage applications.



Without AR-Bonding™

With AR-Bonding™

Excessive light reflections reduce contrast and make a standard LCD flat-panel display appear washedout and difficult to read. CyberResearch's proprietary *AR-Bonding*<sup>TM</sup> anti-reflection display enhancement technology virtually eliminates light reflections found in outdoor installations and other locations where high ambient light levels can be a problem. *AR-Bonding* also provides extra mechanical support to the LCD and completely prevents air-gap glass fogging due to condensation in cold and wet outdoor environments.

## **Vandal Resistant Construction**

The rugged all-weather corrosion resistant 304 SS stainless steel external enclosure with tamper resistant hardware provides outstanding protection.



## **Single or Multiple LCDs**

Single or multiple LCDs can be installed on a pedestal, wall, or custom mounting stand in landscape or portrait orientation. Multiple displays can be combined to present a common image in video-wall applications.

#### It's Here Now!

CyberResearch can custom tailor a unique CyRAQ display solution on a quick turn-around basis to meet your specific application requirements. Give us a call.

# Our Full Line of 46" Outdoor Digital Displays



Pylon, Wall, Ceiling Or Custom Mounting Hardware Available Choice of Portrait Or Landscape



## New Media Break-Thru

The CyRAQ 1000 has the potential to revolutionize outdoor advertising. CyRAQ sunlight-readable interactive digital displays can provide on-demand access to content anytime, anywhere, via any digital device. Now for the first time it is possible to economically provide clear, sharp, full 1080p high-definition, full-motion content in close quarters in direct sunlight. Send your relevant and focused messages to locations where people shop, wait, work, commute and gather. These highly focused person-to-person communications can be delivered in the context of the location, time and audience to achieve measurable business results with a high ROI for the display owner.

Animate your sign with compelling content using color, motion, transitions and product rotation. Personalize your communications on a one-to-one basis. By enhancing the shopping experience, CyberResearch's intelligent new media solutions can build brand loyalty and repeat business.

## 46" Sunlight-Readable Outdoor Display

Part Number CyraQ 1046SE Screen Size 46" Diagonal

Screen Image Full High-Definition 1080p, 1920 x 1080 @ 16M colors Input Options HDMI, DVI, VGA, Component, Composite, S-Video

Projected capacitive touchscreen optional

**Brightness** Readable in Direct Sunlight.

CyberResearch's *AR-Bonding*™ technology provides sunlight readability equal to or better than a conventional air-gap display with a 1500 to 2000 nit backlight.

Contrast 3000:

**Green Design** 

Screen Protection Vandal-resistant laminated glass with anti-reflective coating.

Viewing Angle 178° (horizontal and vertical)

External Enclosure Corrosion-resistant 304 stainless steel.

Internal LCD Module Powder coated aluminum. NEMA 4 suitable for washdown.

Operating Temp -32 to 122°F (0 to -50°C)

Heater available for operation to -40°F (-40°C)

**Mounting** Pylon, wall or custom. Landscape or portrait orientation.

**Power Supply** 90~264 Vac, 50/60Hz

**Power Consumption** 235–360W (typical), < 40W in standby mode. Thermal Mgmt. System 120W. (Extended temperature range option 240W.)

AR-Bonding cuts power consumption by 30 to 40%.

**Dimensions/Weight** 25.5"W x 48"H x 10"D (648 x 1219 x 254mm). 180lbs. (114kg), not including optional pylon mounting stand.

Contact CyberResearch For Digital Signage Integration Assistance 800.341.2525 \*\* CYRAQ.COM

## CyberResearch® Display Technology

The CvRAQ 1000 Series was developed as a byproduct of CyberResearch's 25+ years of experience building rugged industrial computers and display systems. To date, CyberResearch has supplied over 10,000 displays for use in severe industrial environments including manufacturing, NASA, R&D labs, marine, process control, off-shore drilling rigs and nuclear power plants. CyberResearch products are used by most Fortune 500 companies as well as universities, government and military worldwide.

### **Outdoor Digital Signage Benefits**

Now you can take advantage of the benefits of digital signage in outdoor settings winter, spring, summer and fall. Digital displays draw roughly 10 times the attention of static signs. So utilize the impact of motion and sound to make your messages come alive!

- \* Deliver targeted promotions at the right time and place
- \* Update your message instantly; no need to wait for a printer
- \* Personalize your communications on a one-to-one basis
- \* Communicate critical information in severe environments
- \* Build your brand and generate more repeat business
- \* Engage your customers and reduce perceived wait times
- \* Provide compelling content to enhance the customer experience
- \* Use day-parting to schedule special offers based on time of day
- Promote a wide variety of overstocked and high-margin products
- \* Create new revenue stream by accepting ads from your suppliers



CyberResearch, Inc. \* 25 Business Park Drive \* Branford CT, 06405

©Copyright 2011, CyberResearch, Inc., All Rights Reserved. CyberResearch® and CyRAQ® are registered trademarks of CyberResearch, Inc. Screen images courtesy of Wireless Ronin Technologies, Inc., and Screenfeed. Specifications subject to change. CyberResearch, Inc. reserves the right to make product improvements at any time.

